

How Artificial Intelligence Can Elevate Your Omnis Applications

Maurin Wannags





### Inhalt

### **Boost Your Apps with Al**


- Al Interfaces (APIs)
- Omnis Studio Integrated Al Classes
- Custom Al Integration

### **omnis**studio

# Al Interfaces (APIs)

### Al Interfaces (APIs)

- HTTP interfaces (usually)
- Most offer packages for Python and JavaScript
- Structured output
- Documentation





### Boost Your Apps with Al Al Interfaces (APIs)

```
Python
          JavaScript
                             REST
                                      Apps Script
                       Ok
    "https://generativelanguage.googleapis.com/v1beta/models/gemini-2.0-flash:generateContent?key=$GEMINI_API_KEY" \
     Content-Type: application/json'
 -X POST \
    contents": [
       "parts": [
           "text": "How does AI work?"
```



### Boost Your Apps with Al Al Interfaces (APIs)

```
bash
curl https://api.x.ai/v1/chat/completions \
-H "Content-Type: application/json" \
-H "Authorization: Bearer $XAI_API_KEY" \
-d '{
    "messages": [
            "role": "system",
            "content": "You are Grok, a highly intelligent, helpful AI assistant."
            "role": "user".
            "content": "What is the meaning of life, the universe, and everything?"
    "model": "grok-3-beta",
    "stream": false,
    "temperature": 0
```



### Al Interfaces (APIs)

```
Generate text from a model
                                                                             curl 🗘
   curl "https://api.openai.com/v1/chat/completions" \
       -H "Content-Type: application/json" \
       -H "Authorization: Bearer $OPENAI API KEY" \
       -d '{
           "model": "gpt-4.1",
           "messages": [
                    "role": "user",
                    "content": "Write a one-sentence bedtime story about a unicorn."
       31
```



### Boost Your Apps with Al Al Interfaces (APIs)

```
Shell
curl https://api.anthropic.com/v1/messages \
     --header "x-api-key: $ANTHROPIC_API_KEY" \
     --header "anthropic-version: 2023-06-01" \
     --header "content-type: application/json" \
     --data \
    "model": "claude-3-7-sonnet-20250219",
    "max_tokens": 1024,
    "messages": [
        {"role": "user", "content": "Hello, world"}
```





# Omnis Studio integrated Al Classes

### Boost Your Apps with Al Integrated Al Classes

- HUB > Samples > HTTP AI (omnisai)
- oAnthropicWorker
- oGeminiWorker
- oOpenAlWorker





### Integrated AI Classes

- Create a object reference to the choosen omnisai class
  - Pass the ai model
  - And the api key
- Call \$runpromt with desired instructions
  - pSystemInstruction
  - pPromt
  - pCallingInst
  - plmageUrl







# "But I really need something special ..."

## Boost Your Apps with AI But I Need: Image Generation





## Boost Your Apps with AI But I Need: Structured Outputs

```
Python
         JavaScript
                      Ok
                             REST
curl "https://generativelanguage.googleapis.com/v1beta/models/gemini-2.0-flash:generateContent?key=$G00GLE_API_KEY" \text{V}
-H 'Content-Type: application/json' \
-d '{
      "contents": [{
        "parts":[
           { "text": "List a few popular cookie recipes, and include the amounts of ingredients." }
      }],
      "generationConfig": {
        "responseMimeType": "application/json",
        "responseSchema": {
          "type": "ARRAY".
          "items": {
            "type": "OBJECT",
            "properties": {
              "recipeName": { "type": "STRING" },
              "ingredients": {
                "type": "ARRAY",
                "items": { "type": "STRING" }
             "propertyOrdering": ["recipeName", "ingredients"]
}' 2> /dev/null | head
```






# Custom Al Integration

### Boost Your Apps with Al Custom Al Integration

- API call with OW3 HTTPClientWorker
- JS / Python module call with JAVASCRIPTWorker / PYTHON Worker
  - Could require npm installs






Custom Al Integration: OW3 HTTPClientWorker



- Using text statements / strings
  - Structure-giving variables (lists and rows)
- Initialize OW3 HTTPClientWorker (\$init) and call \$run/\$start
- Catch, check and destructure the result







### Many thanks for your attention